POPULATION ESTIMATES	CENSUS DATA	LOCAL PUBLIC HEALTH
Total 1995 Population Est 53,950		Activities Reported Number 10,000
Percent Female 50.5	Note: Data in this section are from	<u>*</u>
	the 1990 Census. (All other	Public Health Nursing
Population per square mile 53	sections contain 1995 data	Total clients 568 105
Rank in state 1 33 ( 1=highest population density,	except where specified.)	Total visits 1,941 360 Visits: Reason for
72=l owest population density.)	Ratio of 1989 Family	Gen hlth promotion 42 8   Infant/child hlth 672 125
ra-rowest population density.	Income to Poverty	Infant/child hlth 672 125
	(Cumul at i ve)	Infectious & parasitic 96 18
<u>Age Female Male Total</u>		Ci rcul atory 23 4
0-14 5, 840 6, 150 11, 990	Age <100% <185% <200% Total <5 17 46 50 3,826	Prenatal 542 100
15-19 2,000 2,060 4,051 20-24 1,570 1,580 3,150	<ul> <li>5</li> <li>17</li> <li>46</li> <li>50</li> <li>3,826</li> <li>5-17</li> <li>13</li> <li>37</li> <li>42</li> <li>10,719</li> </ul>	Postpartum 413 77
25- 29 1, 460 1, 450 2, 910	18-44 9 28 32 20, 170	WIC Participants 1,971 365
30-34 2,010 2,230 2,310	45-64 7 19 21 9,513 65+ 11 43 47 6,755	1, 0/1 300
35-39 2, 270 2, 280 4, 550	65+ 11 43 47 6, 755	Clinic Visits 6,235 1,155
40-44 2,080 2,190 4,270		Immunization 4,498 834
45-54 3, 170 3, 180 6, 350		Blood pressure 177 33
55- 64 2, 330 2, 220 4, 550 65- 74 2, 210 1, 910 4, 120		Environmental Centagta
75-84 1,620 1,110 4,120 75-84 2,210 1,910 4,120	CANCER INCIDENCE	Environmental Contacts Env hazards 39 7
85+ 710 320 1,030	(1995)	Public health nuisance 14 3
Total 27, 270 26, 680 53, 950		
	Primary site Number	School Health
	Colon 27	Vi si on screenings 3, 521 653
Age         Female         Male         Total           0-17         7,110         7,430         14,540	Lung 33 Breast 43	Hearing screenings 1, 134 210
18- 44 10, 120 10, 510 20, 630	· -	Health Education
45-64 5,500 5,400 10,900	Prostate 35 All others 129	Community sessions 130 24
65+ 4,540 3,340 7,880	Total 267	Community attendance 1,979 367
Total 27, 270 26, 680 53, 950	Ţ	School sessions 122 23
		School attendance 2,708 502
EMDIOVMENT	LONG TERM CARE	Staffing FTFs
	LUNG IERWI CARE	Staffing - FTEs   Total staff 19 3.4
Note: Average wage is based on place		Administrators I U.Z
of work, not place of residence.	Home Health Agencies 2	Public health nurses 5 1.0
	Patients 2,001	Public health aides 3 0.7
Average wage for jobs covered	Patients per 10,000 pop 371	Environmental specialists <1 0.1
by Unemployment Compensation \$22,080	Nuncing Homos	
   Labor Force Estimates   Annual Average	Nursing Homes 8   Licensed beds 805	LOCAL PUBLIC HEALTH FUNDING
Civilian labor force 28,817	Occupancy rate (percent)   94.0%	Per
Number employed 27, 482	Residents on 12/31/95 747	
Civilian labor force 28,817  Number employed 27,482  Number unemployed 1,335  Unemployment rate 469	Residents per 1,000	Total funding
Unemployment rate 4.69	population aged 65 or older 90	Local taxes \$446, 343 \$8. 27
<u> </u>		

GE 54			1995 PROFILE FOR CH.	IPPEWA C	OUNTY		Second of	f four page
			N A T A L	I T Y				
TOTAL LIVE BIRTHS		633	Birth Order	Births	Percent	Marital Status		
			First	255	40	<u>of Mother</u>	Bi rths	
Crude Live Birth Rate		11. 7	Second	216	34	Marri ed _	470	74
General Fertility Rat	te	<b>55. 6</b>	Thi rd	103	16	Not married	163	26
	_		Fourth or higher	59	9	Unknown	0	•
Live births with repo	orted		Unknown	0	•			
congenital anomalies	1	1 . %	T			Educati on	D 1	<b>.</b>
n li m	D 1	ъ.	First Prenatal	D 1	ъ.	of Mother	<u>Births</u>	Percent
Delivery Type	Births	Percent	<u>Visit</u>	Births 750		Elementary or less	3	10.
Vagi nal after	07	0	1st trimester	550	87	Some high school	63	10
previous cesarean	37	6	2nd trimester	67	11	High school	289	46
Forceps	7	74	3rd trimester	9	•	Some college	184 94	29 15
Other vaginal	467		No visits	4 3	•	College graduate Unknown	94	15
Primary cesarean	90 32	14	Unknown	3	•	unknown	U	•
Repeat cesarean Other or unknown	32 0	5	Number of Prenatal			Smolding Status		
other or unknown	U	•	Care visits	Births	Percent	Smoking Status of Mother	Bi rths	Percent
Birth Weight	Dintha	Percent	No visits	4	rercent	Smoker	142	22
<1, 500 gm	3	rercent	1-4 visits	9	•	Nonsmoker	490	77
1, 500-gm	38	6.0	5-9 visits	144	$\dot{23}$	Unknown	1	
2, 500+ gm	592	93. 5	10-12 visits	271	43	Ulikilowii	1	•
Unknown	0	33. 3	13 + visits	202	32			
CHRIIOWII	· ·	•	Unknown	3				
Race of Mother White Black Other Unknown	Total B Births F 627 0 6	orths Dercent 99	Low Birth Weight (under 2,500 gm) Births Percent 41 6.5	1st Tr <u>Births</u> <b>546</b>		ter of First Prenatal 2nd Trimester Births Percent 65 10 2 .		Unknown Percent
Olikilowii	· ·	•	• •	•	•	• •	•	•
			Low Birth Weight			ter of First Prenatal		
	Fe	ertility	(under 2,500 gm)		imester	2nd Trimester		Unknown
Age of Mother	<u>Births</u>	<u>Rate</u>	Births Percent	<u>Births</u>	Percent	Births Percent	<u>Births</u>	Percent
<15	1			1	•		•	
15- 17	19	•	1 .	12	•	6 .	1	
18- 19	44	61	6 .	39	89	4 .	_1	•
20- 24	169	107	9 .	145	86	22 13	2	•
25- 29	210	144	13 .	190	90	15 .	5	•
30- 34	134	67	9 . 2 .	116	87	15 .	2 5 3 4	•
35- 39	53	23		44	83	5 .	4	•
40+	3	•	1 .	3	•	•	•	•
Unknown	0		•	•	•		•	•
<u>Teenage Births</u>	64	32						

TOTAL DEATHS
Crude Death Rate

# REPORTED CASES OF SELECTED DISEASES

	<u>Number</u>
Campylobacter Enteritis	23
Gi ardi asi s	22
Hepatitis Type A	<5
Hepatitis Type B*	<5
Hepatitis NĂNB/C**	0
Legi onnai re' s	0
Lyme	16
Measles	0
Meningitis, Aseptic	<5
Meningitis, Bacterial	<5
Mumps	0
Pertussi s	<5
Salmonellosis	11
Shi gel l osi s	<5
Tubercul osi s	0

- Includes HBV carriers Includes HCV screens

## Sexually Transmitted Disease

Chlamydia Trachomatis	53
Genital Herpes	10
Gonorrhea	5
Nongonococcal Cervicitis	(
Nongonococcal Urethritis	(
Syphilis	0

### ----- I M M U N I Z A T I O N S -----

Children in Grades K-12 by Compliance Level

Compl i ant	11, 207
Non-compliant	37
Percent Compliant	99. 7

# 

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and post-neonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths.

534

Age	Deaths	Rate
1-4	2	•
5-14	2	•
15- 19	2	•
20-34	13	
35-54	35	231
<b>55-64</b>	46	1, 010
65-74	85	2, 058
75-84	155	5, 663
<b>85</b> +	185	17, 961

i ni ant		
Mortality	Deaths	Rate
Total Infant	9	
Neonatal	6	•
Post-neonatal	3	
Unknown	•	

Race of Mother		
Whi te	9	•
Black	•	
0ther	•	•
Unknown	•	•

<u>Birth Weight</u>		
<1, 500 gm 1, 500- 2, 499 gm	3	
1, 500-2, 499 gm	1	
2, 500+ gm	5	
Unknown	•	

Peri nat al		
Mortality	Deaths	Rate
Total Perinatal	8	•
Neonatal	6	
Fetal	2	
Total Perinatal Neonatal	8 6 2	•

Selected		
<u>Underlying Cause</u>	Deaths	Rate
Heart Disease (total)	169	313
Coronary heart disease	132	245
Cancer (total)	137	254
Lung	30	<b>56</b>
Colorectal	18	•
Female breast	7	*
Cerebrovascular Disease	e 41	76
Chron Obstr Pulmonary	20	37
Pneumonia & Influenza	22	41
Inj uri es	22	41
Motor vehicle	9	
Diabetes	14	
Infectious & Parasitic	6	
Sui ci de	8	

\* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Al col	nol	10
0ther	Drugs Menti oned	8
Both	Mentioned	2

#### ----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

Type of Motor	Persons	Persons
Vehicle Crash	I nj ured	Killed
Total Crashes	556	13
Al cohol - Rel ated	97	4
With Citation:		
For OWI	50	2
For Speeding	31	1
Motorcyclist	13	0
Bi cycl i st	8	1
Pedestri an	6	1

## ------ HOSPITALIZATIONS-----

DI SEASE / AGE GROUP	Number	Per 1, 000 <u>Pop</u>	Average Stay (Days)	Average Charge	Charge Per Capita	DI SEASE / AGE GROUP	Number	Per 1, 000 <u>Pop</u>	Average Stay (Days)	Average	Charg Per Capi t
Injury-Related	· All					Al cohol - Rel at ed					
Total	523	9. 7	4. 8	\$8, 454	\$82	Total	257	4. 8	6. 9	\$2, 365	\$11
<18	62	4. 3	4. 1	\$6, 240	\$27	18-44	157	7.6	6. 9	\$2, 246	\$17
18- 44	150	7. 3	4. 1	\$8, 636	\$63	45-64	70	6.4	5. 3	\$2, 146	\$14
45- 64	88	8. 1	4. 9	\$8, 418	\$68	45-04	70	0. 4	5. 5	ψ£, 140	Ų14
65+	223	28. 2	5. 4	\$8, 961	\$253	Pneumonia and I	nfluenza				
Injury: Hip		۵۵. ۵	J. 4	36, 301	<b>3233</b>	Total	252	4. 7	5. 4	\$6, 169	\$29
Total	73	1. 4	6. 7	\$10, 089	\$14	10tai   <18	50	3.4	2.8	\$0, 109 \$2, 643	\$29 \$9
65+	68	8.6	6. 6	\$9, 791	\$14 \$84	45-64	40	3. 4 3. 7	2. <b>6</b> 5. 5	\$2, 043 \$6, 464	\$24
		0. 0	0. 0	39, 791	<b>304</b>		145	3. 7 18. 4	6. 2		
Injury: Pois		0.5	3. 3	00 000	0.1	65+	145	16. 4	0. Z	\$7, 123	\$131
Total	26	0.5		\$2,633	\$1 82	Camahaaaaaalaa	D:				
18-44	21	1. 0	3. 6	\$2, 793	\$3	Cerebrovascul ar		0.4	<b>5</b> 0	00 444	000
						Total	184	3. 4	5. 6	\$9, 444	\$32
Psychi atri c	0.40					45-64	32	2. 9	6. 5	\$11,676	\$34
Total	243	4. 5	7. 5	\$3, 287	\$15	65+	145	18. 4	5. 4	<b>\$8, 951</b>	\$164
<18	42	2.9	10. 2	\$4, 359	\$13						
18- 44	129	6.3	6. 2	\$2,697	\$17	Chronic Obstruc					_
45-64	32	2. 9	9. 5	\$3, 830	\$11	Total	142	2. 6	3. 9	<b>\$4, 405</b>	\$12
	5. 1	7. 4	\$3, 631	\$18	<18	39	2. 7	2.4	<b>\$2, 496</b>	\$7	
					18- 44	13	•				
Coronary Heart	Di sease					45-64	19		•	•	•
Total Č	315	5.8	5. 2	\$12, 578	<b>\$73</b>	65+	71	9. 0	4. 9	\$5, 598	\$50
45-64	79	7. 2	4. 5	\$13, 733	\$99						
<b>65</b> +	222	28. 1	5. 7	\$12, 528	\$352	Drug-Related					
				. ,		Total	39	0. 7	10. 0	\$3, 683	\$3
Malignant Neop	lasms (Car	ncers) ·	A11			18-44	20	1.0	6.6	\$2, 608	\$3
Total	259	4.8	6. 2	\$11,634	<b>\$56</b>	1 10 11	20	1.0	0. 0	ψ2, σσσ	Ų.
18- 44	19	1. 0	0. 2	<b>411, 001</b>	Ų O O	Total Hospitali	zations				
45-64	86	7. 9	6 3	\$12, 953	\$10 <b>2</b>	Total	6, 438	119. 3	4. 3	\$6, 082	\$726
65+	149	18. 9	6. 1	\$10, 127	\$191	<18	1, 271	87. 4	2. 9	\$2, 578	\$225
Neoplasms: Fo		ast (ra		female r		18-44	1, 722	83. 5	3. 4	\$4, 466	\$373
Total	24	0.9	2.6	\$6, 349	86	45-64	1, 099	100. 8	4.6	\$7, 882	\$794
Neoplasms: C	olo-rectal	U. J	<i>د.</i> 0	90, J4J	ŞŪ	45-64	2, 346	297. 1	4. 0 5. 5	\$8, 322	\$2, 473
Total	29	0.5	9.9	\$17, 034	<b>\$9</b>	<b>0</b> 5+	۵, 540	≈31. I	J. J	90, J&&	ψω, <del>1</del> 13
65+	19			917,034		PREVENTA	вів п	ОСВТ	тлт	T 7 A T T	O M $C$
Neoplasms: L		•	•	•	•	Total	1, 080	20.0	4. 6	\$5, 173	\$104
Total	ung <b>26</b>	0. 5	6. 3	\$10, 584	<b>\$</b> 5	10tai   <18		20. 0 13. 3	4. 6 2. 5	\$3, 173 \$2, 299	\$104 \$31
iotai	20	บ. อ	ს. ა	91U, 3 <b>8</b> 4	<b>\$</b> 3	<18   18-44	193			92, 299 62, 664	
); abatas							116	5.6	3. 7	\$3,664	\$21
Di abetes	00	1 0	F 4	00 014	ó.	45-64	147	13.5	4.5	\$5, 302	\$71
Total	66	1. 2	5. 4	\$6, 014	\$7	65+	624	<b>79. 0</b>	5. 5	\$6, 312	\$499
<b>65</b> +	27	3. 4	6. 1	\$6, 626	\$23	, , , , , , , , , , , , , , , , , , , ,	C	1	,		
						* Hospitalizatio effective ambulation hospitalization	atory car	ondition re can r	s where educe t	timely a he likeli	nd hood of